

CHAIN IDENTIFICATION CHART

Melling Part No.	Chain Type	Number Links	Timing Marks	Width	Pitch	Grade
1007	Silent	78	3	.450"	N/A	OE Replacement
1025	Roller	170	3	.540"	.375"	OE Replacement
1026	Roller	46	2	.540"	9.525mm	OE Replacement
1035	Silent	136	2	.315"	.236"	OE Replacement
1036	Silent	128	2	.500"	.314"	OE Replacement
1037	Roller	54	3	.475"	8mm	OE Replacement
1038	Silent	44	2	.495"	.314"	OE Replacement
1039	Silent	120	3	.515"	.314"	OE Replacement
1040	Silent	68	1	N/A	N/A	OE Replacement
1041	Roller	112	2	.550"	.375"	OE Replacement
1044	Roller	92	3	.487"	.375"	OE Replacement
1045	Silent	178	3	.348"	.375"	OE Replacement
1046	Silent	72	1	N/A	N/A	OE Replacement
1047	Roller	202	2	.397"	.310"	OE Replacement
1048	Roller	50	2	.394"	.310"	OE Replacement
1049	Silent	254	4	.606"	6.35mm	OE Replacement
1050	Roller	50	2	.408"	.315"	OE Replacement
1051	Silent	164	3	.427"	.250"	OE Replacement
1053	Silent	66	2	.250"	.250"	OE Replacement
1054	Silent	180	3	.384"	.250"	OE Replacement
1055	Roller	112	3	.455"	.375"	OE Replacement
1056	Roller	144	0	.465"	.375"	OE Replacement
1057	Roller	52	0	N/A	N/A	OE Replacement
1058	Roller	138	0	.460"	.375"	OE Replacement
1059	Roller	92	2	.500"	.315"	OE Replacement
1061	Silent	124	2	.435"	.315"	OE Replacement
1062	Silent	134	4	.414"	.315"	OE Replacement
1063	Silent	54	0	.315"	.315"	OE Replacement
1064	Roller	124	3	.525"	.375"	OE Replacement
1065	Roller	150	6	.452"	.315"	OE Replacement
1066	Silent	82	2	.250"	.250"	OE Replacement
1067	Roller	148	3	.425"	.315"	OE Replacement
1068	Roller	58	1	.315"	.315"	OE Replacement
1069	Silent	180	2	.412"	8mm	OE Replacement
1071	Silent	120	3	.400"	.315"	OE Replacement
1072	Silent	66	1	.250"	.250"	OE Replacement
1073	Silent	178	3	.452"	N/A	OE Replacement
1074	Silent	66	1	N/A	N/A	OE Replacement
1075	Silent	188	3	.475"	.250"	OE Replacement
1076	Silent	138	1	.480"	.315"	OE Replacement
1077	Silent	52	1	N/A	N/A	OE Replacement
1078	Silent	138	1	.425"	N/A	OE Replacement
1079	Silent	182	4	.425"	.250"	OE Replacement
1080	Silent	44	4	.412"	.315"	OE Replacement
1081	Silent	166	4	.430"	.250"	OE Replacement
1082	Roller	106	3	.545"	.375"	OE Replacement
1083	Roller	142	3	.375"	.315"	OE Replacement
1084	Roller	54	2	8mm	8mm	OE Replacement
1085	Roller	138	3	.375"	.315"	OE Replacement
1086	Roller	52	2	8mm	8mm	OE Replacement
1087	Silent	154	4	.412"	8mm	OE Replacement
1088	Silent	114	4	6.35mm	6.35mm	OE Replacement
1089	Roller	70	2	8mm	8mm	OE Replacement
1090	Silent	164	2	.494"	.250"	OE Replacement
1092	Silent	60	0	N/A	N/A	OE Replacement
1093	Silent	150	3	.390"	.315"	OE Replacement
1094	Silent	66	3	.250"	.250"	OE Replacement
1105	Silent	72	2	.250"	.250"	OE Replacement
160	Roller	68	0	.865"	.375"	OE Replacement
161	Roller	56	2	.865"	.375"	OE Replacement
162	Roller	64	0	.808"	.375"	OE Replacement
163	Roller	58	0	.808"	.375"	OE Replacement
166	Roller	86	0	.820"	.375"	OE Replacement
168	Roller	66	0	.865"	.375"	OE Replacement
169	Roller	64	0	.865"	.375"	OE Replacement
172	Roller	46	0	.375"	.375"	OE Replacement
180	Roller	48	0	.510"	.500"	OE Replacement
181	Roller	48	0	1.075"	.500"	OE Replacement

CHAIN IDENTIFICATION CHART

Melling Part No.	Chain Type	Number Links	Timing Marks	Width	Pitch	Grade
184	Roller	48	0	.590"	.505"	OE Replacement
185	Roller	116	2	.500"	.375"	OE Replacement
189	Roller	44	0	.232"	.375"	OE Replacement
190	Roller	80	2	.485"	.375"	OE Replacement
192	Roller	126	4	.497"	.375"	OE Replacement
193	Roller	44	2	.477"	.375"	OE Replacement
194	Roller	94	3	.481"	.375"	OE Replacement
195	Roller	168	12	.405"	.315"	OE Replacement
201	Roller	60	2	.312"	.312"	OE Replacement
202	Roller	46	0	.656"	.500"	OE Replacement
300	Silent	64	2	.564"	.375"	OE Replacement
339	Silent	60	0	1.000"	.375"	OE Replacement
344	Silent	56	2	1.000"	.375"	OE Replacement
347	Silent	60	0	1.000"	.375"	OE Replacement
348	Silent	68	0	1.000"	.375"	OE Replacement
349	Silent	62	0	.875"	.375"	OE Replacement
350	Silent	60	0	.875"	.375"	OE Replacement
351	Silent	50	0	.750"	.375"	OE Replacement
356	Silent	58	0	.750"	.375"	OE Replacement
358	Silent	58	0	.625"	.375"	OE Replacement
359	Silent	54	0	.750"	.375"	OE Replacement
361	Silent	68	0	.625"	.375"	OE Replacement
365	Silent	60	0	.750"	.375"	OE Replacement
366	Silent	56	0	.725"	.375"	OE Replacement
374	Silent	62	0	.750"	.375"	OE Replacement
375	Silent	54	0	.375"	.375"	OE Replacement
376	Silent	60	0	.750"	.375"	OE Replacement
377	Silent	54	0	.750"	.375"	OE Replacement
378	Silent	56	0	.750"	.375"	OE Replacement
380	Silent	68	0	.750"	.375"	OE Replacement
381A	Silent	64	0	.437"	.315"	OE Replacement
383M	Silent	130	0	.500"	.375"	OE Replacement
384	Silent	124	0	.500"	.375"	OE Replacement
385	Silent	64	0	.625"	.375"	OE Replacement
387	Silent	116	2	.500"	.375"	OE Replacement
388	Silent	64	2	.750"	.375"	OE Replacement
390	Silent	130	0	.456"	.375"	OE Replacement
391	Silent	122	3	.500"	.375"	OE Replacement
392	Silent	122	3	.562"	.375"	OE Replacement
393	Silent	70	3	.500"	.323"	OE Replacement
394	Silent	106	3	.500"	.323"	OE Replacement
395	Silent	58	1	.687"	.375"	OE Replacement
396	Silent	62	0	.558"	.375"	OE Replacement
397	Silent	180	0	.679"	.375"	OE Replacement
398F	Silent	62	6	.520"	.375"	OE Replacement
3DR100	Roller	100	2	.875"	.375"	OE Replacement
3DR102	Roller	102	2	.875"	.375"	OE Replacement
3DR106	Roller	106	3	.909"	.375"	OE Replacement
3DR106D	Roller	106	2	.909"	.375"	OE Replacement
3DR110	Roller	110	2	.909"	.375"	OE Replacement
3DR112D	Roller	112	2	.909"	.375"	OE Replacement
3DR114	Roller	114	2	.909"	.375"	OE Replacement
3DR130	Roller	130	0	.909"	.375"	OE Replacement
3DR48	Roller	48	0	.909"	.375"	OE Replacement
3DR50	Roller	50	0	.909"	.375"	OE Replacement
3DR54	Roller	54	0	.909"	.375"	OE Replacement
3DR56	Roller	56	2	.909"	.375"	OE Replacement
3DR62	Roller	62	3	.909"	.375"	OE Replacement
3DR84	Roller	84	0	.909"	.375"	OE Replacement
3DR90	Roller	90	1	.909"	.375"	OE Replacement
3DR94	Roller	94	0	.909"	.375"	OE Replacement
3DR96	Roller	96	2	.909"	.375"	OE Replacement
3DR98	Roller	98	3	.909"	.375"	OE Replacement
3DRH48	Roller	48	3	1.000"	.375"	OE Replacement
3SR102	Roller	102	3	.500"	.375"	OE Replacement
3SR106D	Roller	106	2	.500"	.375"	OE Replacement
3SR44	Roller	44	0	.375"	.375"	OE Replacement
3SR58	Roller	58	0	.500"	.375"	OE Replacement

CHAIN IDENTIFICATION CHART

Melling Part No.	Chain Type	Number Links	Timing Marks	Width	Pitch	Grade
3SR60	Roller	60	0	.500"	.375"	OE Replacement
3SR62	Roller	62	0	.500"	.375"	OE Replacement
3SR64	Roller	64	0	.500"	.375"	OE Replacement
3SR90	Roller	90	2	.500"	.375"	OE Replacement
3SR92	Roller	92	2	.500"	.375"	OE Replacement
3SR94	Roller	94	3	.500"	.375"	OE Replacement
3SR96	Roller	96	2	.500"	.375"	OE Replacement
3SR98	Roller	98	3	.500"	.375"	OE Replacement
3SRH106	Roller	106	3	.500"	.375"	OE Replacement
3SRH124	Roller	124	3	.555"	.375"	OE Replacement
3SRH60	Roller	60	1	.488"	.375"	OE Replacement
3SRH64	Roller	64	0	.555"	.375"	OE Replacement
3SRH92	Roller	92	2	.500"	.375"	OE Replacement
40000	Roller	58	0	.925"	.250"	Performance
40001	Roller	66	0	.925"	.250"	Performance
40002	Roller	64	0	.925"	.250"	Performance
40003	Roller	68	0	.925"	.250"	Performance
40004	Roller	60	0	.925"	.250"	Performance
40005	Roller	54	0	.900"	.250"	Performance
4178C	Roller	120	2	.480"	.375"	OE Replacement
4179C	Roller	78	0	.250"	.250"	OE Replacement
4198	Roller	56	3	.480"	.315"	OE Replacement
4199	Roller	98	2	.480"	.315"	OE Replacement
4200	Roller	130	3	.404"	.315"	OE Replacement
4201F	Roller	148	3	.480"	.315"	OE Replacement
4202F	Roller	134	5	.275"	.275"	OE Replacement
4207C	Roller	138	3	.460"	.375"	OE Replacement
4208C	Roller	44	2	.488"	.375"	OE Replacement
4213	Silent	70	2	.250"	.250"	OE Replacement
4214C	Roller	124	3	.400"	.315"	OE Replacement
4220	Roller	140	4	.480"	.315"	OE Replacement
4221	Roller	124	3	.540"	.375"	OE Replacement
470	Roller	174	3	.540"	.375"	OE Replacement
471	Roller	42	2	.545"	.375"	OE Replacement
491	Silent	52	0	.750"	.500"	OE Replacement
494	Silent	48	0	.750"	.500"	OE Replacement
495	Silent	50	0	.750"	.500"	OE Replacement
498	Silent	48	0	.625"	.500"	OE Replacement
499	Silent	46	0	.625"	.500"	OE Replacement
4SR48	Roller	48	0	.643"	.500"	OE Replacement
4SR50	Roller	50	0	.568"	.500"	OE Replacement
501	Silent	50	0	.625"	.500"	OE Replacement
505	Silent	46	0	.750"	.500"	OE Replacement
700	Silent	80	1	.416"	.315"	OE Replacement
701F	Silent	62	0	.205"	.205"	OE Replacement
704	Silent	86	3	.447"	.323"	OE Replacement
705	Silent	138	0	.400"	.315"	OE Replacement
706F	Silent	54	1	.315"	.315"	OE Replacement
707F	Silent	272	4	.600"	.250"	OE Replacement
708	Silent	144	3	.446"	.310"	OE Replacement
711F	Silent	176	5	.440"	.250"	OE Replacement
712F	Silent	62	3	.250"	.250"	OE Replacement
715F	Silent	174	0	.430"	.250"	OE Replacement
716F	Silent	68	1	.250"	.250"	OE Replacement
717F	Silent	66	2	.250"	.250"	OE Replacement
718F	Silent	52	2	.250"	.250"	OE Replacement
719	Silent	210	3	.553"	.250"	OE Replacement
720F	Silent	196	3	.625"	.250"	OE Replacement
721	Silent	66	3	.430"	.250"	OE Replacement
722F	Silent	168	3	.480"	.250"	OE Replacement
727F	Silent	134	2	.396"	.250"	OE Replacement
728F	Silent	110	5	.250"	.250"	OE Replacement
730F	Silent	196	3	.600"	.250"	OE Replacement
750	Silent	76	3	.342"	.370"	OE Replacement
751	Roller	52	2	7mm	7mm	OE Replacement
752	Roller	134	3	.480"	.310"	OE Replacement
753	Silent	96	3	.430"	.250"	OE Replacement
754	Silent	114	3	.430"	.250"	OE Replacement

CHAIN IDENTIFICATION CHART

Melling Part No.	Chain Type	Number Links	Timing Marks	Width	Pitch	Grade
755F	Silent	44	2	1.000"	.370"	OE Replacement
8MMSR130	Roller	130	0	.465"	.310"	OE Replacement
8MMSR52	Roller	52	0	.310"	.310"	OE Replacement
8MMSR54	Roller	54	0	.310"	.310"	OE Replacement
8MMSR58	Roller	58	0	.310"	.310"	OE Replacement
8MMSR84	Roller	84	4	.314"	.314"	OE Replacement
8MMSR90	Roller	90	3	.314"	.314"	OE Replacement
8MMSRH126	Roller	126	0	.420"	.310"	OE Replacement
8MMSRH62	Roller	62	0	.420"	.310"	OE Replacement
8MMSRH72	Roller	72	0	.420"	.312"	OE Replacement
8MMSRH82	Roller	82	4	.314"	.314"	OE Replacement
900C	Silent	180	3	.420"	.250"	OE Replacement
901C	Silent	74	2	.250"	.250"	OE Replacement
916	Silent	134	1	.500"	.315"	OE Replacement
924	Roller	178	3	.545"	.375"	OE Replacement